



Outdoor Power Equipment: Garden & Forestry



www.zomaxtool.com




ZHEJIANG ZOMAX GARDEN MACHINERY CO.,LTD.

Address: No. 48 Aodihu Road, Taiping Street, Wenling City, Zhejiang Province, China.

Tel: 86 576 8614 6556 / 8614 6558 / 8614 6566

Fax: 86 576 86146567 / 86146568 E-mail: sales@zomaxtool.com



Create a Global Brand To Serve The World



About **ZOMAX**

Established in 2005, ZHEJIANG ZOMAX GARDEN MACHINERY CO., LTD, as a subsidiary of ZOMAX Group, is a professional manufacturer of Outdoor Power Garden Machinery, main products including Gasoline Chainsaw, Gasoline Brush Cutter, and 58V Battery Garden Tools, etc. ZOMAX Garden serves as the National High-tech Enterprise and Zhejiang Standard Innovative Enterprise. The products are widely used in fields such as field courtyards, parks, gardens, trees, orchards, tea gardens, and forestry operations.



ZOMAX LOBBY



ZOMAX GEAR WORKSHOP



ZOMAX WAREHOUSE



ZOMAX STAFF CANTEEN



ZOMAX CULTURE CORNER



Perfect Products Manufacture

In the mass production stage, we always adhere to the principle "3 No" to defective products, they are: "No acceptance, No produce, No delivery". By means of the continuous check to make continuous improvement so as to meet users' needs better.



Forceful R&D Team

ZOMAX always take Innovation R&D as the core competitiveness of the enterprise, we have been committed to the research and development of green and environmentally friendly lithium battery products, and low energy cost gas products. Meanwhile, with the unremitting efforts of R&D teams. At present, ZOMAX Garden has won 11 National Invention Patents, over 150 patents for Utility Models and Appearance, and has built the Provincial-level New High-tech Enterprise Research and Development Center.

► 58V Lithium-Ion Garden Tools

Zomax 58-volt Max system powers a set of cordless outdoor equipments, including an 18-inch chainsaw, a 10-inch top-handle chainsaw, a multiple-speed blower, a 12-inch string trimmer, an 8-inch pole saw, a 20-inch pole trimmer, a 25-inch hedge trimmer, and a coming 21-inch lawn mower. Whiling focusing on power that can be compared with gas performance, this 58V cordless series is also given priority to light weight, long run time. Zomax cordless tool series is ideal for family use.

■ Benefits for Lithium-ion Battery Powered Products:

- Quality assurance: Internationally recognized components for longer life time, better quality
- One battery for all tools: save cost and various batteries for customer selection
- Comfort& control: no mixing, no pulling cords, good maneuverability
- User-friendly: low noise, low vibration, light weight but big power
- Operator safety: no emission& zero exposure to toxic fumes
- Cost-saving: no petrol cost; less maintenance




58V Li-Ion Battery Pack

- Good BMS (Battery Management System): battery pack uses internationally well-known IC, microcontroller, fuse.
- Offer protection from overcharging, overheating, overloading, and battery equalization process.
- Use imported Samsung 18650 Lithium-Ion cell with good consistency, continuous large current discharge and long lifespan.
- With low-power mode from sleep which can prevent battery damage if battery has not been charged for a long time.
- Offer equalization repair process for battery over-discharge, to prolong battery lifespan.
- Offer high& low temperature protection for battery to prolong battery lifespan.
- Integrated charging status display.
- Fade-free power with no memory loss after charging.
- Provide 45% longer cycle life than 40V battery pack.
- Offer 40% longer running time than tools with 40V battery pack.




Test Data



58V 2.0A Lithium-Ion Battery Charger

- Compatible with all Zomax 58V Lithium-Ion tools and batteries
- Integrated charging status display



Specification



Product Name	2A LI-ION BATTERY CHARGER
Model Number	ZMLC5120
Product Specification	58V DC. 2A
Input(CE/GS / AS/NZS)	220V-240V~,50Hz, 1A
Input(cULus)	120V~,50Hz-60Hz, 2.5A
Output	58V DC. 2.0A
Working Environment Temp.	0°C- 45°C
Net Weight	0.75 kgs/ 1.65 lbs

Specification for Li-Ion Battery Pack




Product Name	ZMLB5120	ZMLB5140	ZMLB5125	ZMLB5150
Battery cell	Samsung	Samsung	Samsung	Samsung
Battery Nominal Voltage	58 V (Initial no-load voltage peaks at 58 volts, when battery is fully charged)			
Recharge time	1 h	2 h	1.25 h	2.5 h
Working Environment Temp	-20°C- 45°C	-20°C- 45°C	-20°C- 45°C	-20°C- 45°C
Dry weight	1.2 kgs / 2.6 lbs	1.8 kgs / 4.0 lbs	1.2 kgs / 2.6 lbs	1.8 kgs / 4.0 lbs

ZMLC5150


Fast Charger

Half time saved in charging the batteries compared with regular charger.
Meet the frequent demand of the battery. 2 types of output voltage:
5V and 58V, not only for batteries, also for electronic devices.







Good cooling system improves battery pack life




Automatic pop-out design for the battery, smart way to get out the battery



Position for hand grabbing, ergonomically



Easy storage way achieved by 2 screws



2 types of output voltage: 5V and 58V, not only for battery charging, available for electronic devices too. Enjoy your days during working.

Product Name	FAST CHARGER
Model Number	ZMLC5150
Product Specification	58V DC, 4-8A
Input	100V-240V~,50-60Hz
DC 58V Output	58V DC, 4.0 - 8.0A
DC 5V Output	5V DC, 2.0A MAX. X 2 pcs
Working Environment Temp.	0°C- 45°C
Net Weight	1.60 kgs/ 3.52 lbs

Charging Time

Product Name	ZMLB5120	ZMLB5140	ZMLB5125	ZMLB5150
Battery Capacity	2.0 Ah	4.0 Ah	2.5 Ah	5.0 Ah
Standard Charging Time	1 h	2 h	1.25 h	2.5 h
Fast Charging Time	29 min.	45 min.	36 min.	55 min.

ZMLA52

Battery Waist Pack Storage Compartments

With an additional battery bag, possible to carry 2 batteries one time for long-time and tough work.
Providing storage space. No worry for a lack of energy. Batteries on the body, no need to hold, free to remove during operation.

- Compatibility**
Can be used with 2.0Ah,2.5Ah,4.0Ah and 5.0Ah 58 volt batteries
- Ergonomic Design**
Padded shoulder straps for comfort and less user fatigue
- Sizing**
Adjustable comfort belt can adjust to fit most waist sizes from S to XXXL
- Cord**
52-inch extension cord for greater maneuverability
- Weight**
Waist belt reduces work fatigue by relocating the battery weight to your waist
- Versatility**
Adapter battery fits 58-volt hand-held outdoor power tools to reduce weight and lessen fatigue



ZMDC501

58V Brushless Chain Saw

The Zomax cordless chainsaw offers superior power and performance for demanding cutting tasks. The 18" Oregon bar and chain, combined with brushless motor delivers cutting performance equivalent to 45cc gas chainsaw. It runs cleaner, quieter with low vibration, and is free from the hassles of gasoline or cords. Zomax cordless chainsaw is an ideal choice when it comes to cutting firewood, ground maintenance, horticulture and occasional wood sawing work.



Motor type	BLDC
Standard Battery	4.0 Ah
Weight(tool only)	3.8 kgs

Electronic brake

Offer quick stop and reliable operation with braking alarm

Power button & LED Indicator

Easy and reliable to start; observe working status in time

Automatic pop-up design

Automatic pop-up design for battery pack, convenient to replace battery pack

Soft grip

Absorb vibration and reduce fatigue

18" Oregon guide bar&chain

Anti-kickback chain: perfect for cutting branches and limbs

High-magnetic brushless motor

Brushless motor and efficient driving mode improves working efficiency.



Stepless speed regulating switch

Suitable for different working conditions

Translucent oil tank

Offer a clear view of oil level

Brushless motor

Help deliver power equivalent to 45cc gas engine.

Side chain tensioner

The tensioning screw is convenient to adjust, making chain not easy to get loose.

In-board tool

Make it convenient for chain adjustment.



Specification

Product Name	18" CORDLESS CHAINSAW -4Ah
Motor Type	BLDC(Brushless motor)
Voltage	58V Max.
Power	1.8 kW Max.
Cuts per Battery Charge	120 pcs (on 6" dia.)
Chain Linear Velocity	16 m/s Max.
Recommended Bar Length	40-50 cm/16"-18"
Chain Pitch	3/8", .050" gauge(Oregon)
Oil Tank Volume	200 ml
Oil Pump	Automatic
Equivalent Vibration Level	4.8 / 6.3 m/s²
Sound Power Level	101 dB (A)
Weight(tool only)	3.8 kgs / 8.4 lbs
Weight(with 4.0Ah battery)	6.3 kgs / 13.9 lbs

ZMDC502

58V Brushless Top-handle Chain Saw

The Zomax cordless top-handle chainsaw is a perfect combination of light weight and big power. With unique design to separate battery and chainsaw tool, its weight at hand is only 7.1 lbs (3.2kg), while it can deliver an power beyond belief. The 10" Oregon bar and chain, combined with brushless motor ensures fast and clean cuts. Zomax cordless chainsaw is an ideal choice when it comes to cutting branches and limbs.



Motor type	BLDC
Standard Battery	4.0 Ah
Weight(tool only)	3.2 kgs

Power button & LED Indicator
Easy and reliable to start; observe working status in time

8000rpm Constant speed control
Suitable for different working environment

Electronic brake
Offer quick stop and reliable operation with braking alarm

Soft grip
Absorb vibration and reduce fatigue

10" Oregon guide bar&chain
Anti-kickback chain: perfect for cutting branches and limbs

Translucent oil tank
Offer a clear view of oil level

Super light-weight chainsaw
3.2 kg weight at hand

High-magnetic brushless motor
Brushless motor and efficient driving mode improves working efficiency.

Automatic pop-up design
Automatic pop-up design for battery pack, convenient to replace battery pack



Quick-connection waist pack

Suitable for hedge trimmer as well / only 1.5 kgs



Side chain tensioner

The tensioning screw is convenient to adjust, making chain not easy to get loose.



Metal bumper spike

Ensure better control for easier cuts.





Optional battery backpack

Luxury battery backpack with two battery cabins is for your option.



Specification

		
Product Name	10" CORDLESS TOP-HANDLE CHAINSAW -4Ah (ZMDC502)	10" CORDLESS TOP-HANDLE CHAINSAW -4Ah(ZMDC503)
Motor Type	BLDC(Brushless motor)	BLDC(Brushless motor)
Voltage	58V Max.	58V Max.
Power	1.5 kW Max.	1.5 kW Max.
Cuts per Battery Charge	220(on 4" dia.)	220(on 4" dia.)
Chain Linear Velocity	15.2 m/s	15.2 m/s
Recommended Bar Length	25-30cm/10"-12"	25-30cm/10"-12"
Chain Pitch	3/8", .043" gauge(Oregon 10") 3/8", .050" gauge(Oregon 12")	3/8", .043" gauge(Oregon 10") 3/8", .050" gauge(Oregon 12")
Oil Tank Volume	200 ml	200 ml
Oil Pump	Automatic	Automatic
Equivalent Vibration Level (front/rear handle)	2 / 2.4 m/s²	2 / 2.4 m/s²
Sound Power Level	101 dB (A)	101 dB (A)
Weight(tool only)	3.2 kgs / 7.1 lbs	3.2 kgs / 7.1 lbs

ZMDG512
58V Cordless Brush Cutter

Optional 6 working heads including brush cutter, trimmer, pole saw, hedge trimmer, lawn edger, cultivator. Freely choose to customize your own garden maintenance or agricultural tools. Suitable for home usage.



Motor type	BLDC
Standard Battery	4.0 Ah
Weight(tool only)	4.7 kgs

High-magnetic brushless motor(1300W MAX.),
Efficient driving mode improves working efficiency

The whole machine IPX4 weather resistance
meet the operating characteristics of light rain days

Power button & LED Indicator
Easy and reliable to start; observe working status in time

Adjustable rubber handle
to improve operating comfort and reduce fatigue strength

Automatic pop-up design
convenient to repace battery

Two speed constant control
strong power output,Meet the requirements of different working conditions

Strap Hook
Optional harness makes your work more comfortable.

Quick-released Connector
easier for assembling, save storage space




Optional 6 working heads
useful for different working conditions

Specification

Product Name	10" CORDLESS BRUSH CUTTER -4Ah
Motor Type	High magnetic brushless motor (BLDC)
Power	1.3 kW
Speed Control	Constant speed
Hight Speed	6600 rpm
Low Speed	5500 rpm
Soft-Start	Yes
Drive Shaft Material	7 mm solid steel
Drive Tube Type	26 mm aluminium
Coupling Mechanism	Tool-Free Quick Change
Dry Weight (without bar& chain)	4.7 kgs

ZMDF512 Engine
Optional 6 working heads



PC02 Pole Saw



PH02 Hedge Trimmer



BC02 Brush Cutter



EP01 Extension Pole



CT01 Cultivator



E01 Lawn Edger



ST02 StringTrimmer

Specification

Product Name	Pole Saw	Hedge Trimmer	Brush Cutter	StringTrimmer	Lawn Edger	Cultivator
Weight	1.7 kg	2.7 kg	1.6 kg	1.6 kg	1.9 kg	4.4 kg
Total Length	110 cm	150 cm / 90cm folded	92 cm	85 cm	82 cm	90 cm
Run Time	2.0Ah Up to 63 cuts 2.5Ah Up to 70 cuts 4.0Ah Up to 125 cuts 5.0Ah Up to 140 cuts	2.0Ah Up to 20 mins 2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 50 mins	2.0Ah Up to 17 mins 2.5Ah Up to 22 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins	2.0Ah Up to 17 mins 2.5Ah Up to 22 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins	2.0Ah Up to 27 mins 2.5Ah Up to 32 mins 4.0Ah Up to 55 mins 5.0Ah Up to 70 mins	2.0Ah Up to 30 mins 2.5Ah Up to 35 mins 4.0Ah Up to 60 mins 5.0Ah Up to 70 mins
RPM (Low / High)	/	/	5500 rpm / 6600 rpm	5500 rpm / 6600 rpm	6000 rpm / 7100 rpm	170 rpm / 205 rpm
Debris Guard Material	/	/	/	/	Aluminium with rubber skirt	Plastic
Blade Material and Type	/	Double-sided laser cut steel blade	Three-sided steel blade	/	/	/
Fixed Cutting angles	/	111 articulating cutting angles	/	/	/	/
Max. Cutting Diameter	250 mm	/	/	/	/	/
Oil Tank Capacity	140 ml	/	/	/	/	/

ZMDG513
58V Cordless Brush Cutter

Bigger power, especilaly designed for tough works. With Two speed constant control, strong power output,able to meet the requirements of different working conditions. ideal for different working conditions. Much more powerful with U hanlde structure, perfect choice for professional usage. Split packaging design, easier for storgae.



Motor type	BLDC
Standard Battery	4.0 Ah
Weight(tool only)	4.7 kgs

High-magnetic brushless motor (1700W MAX.)
Efficient driving mode improves working efficiency

The whole machine IPX4 weather resistance
meet the operating characteristics of light rain days (adaptive backpack battery pack)

Power button & LED Indicator
Easy and reliable to start; observe working status in time

Automatic pop-up design
convenient to repace battery

Split-package
convenient for storage

Strap Hook
Optional harness makes your work more comfortable.

Optionalbump feed nylon head

10 "three-teeth blade is standard
Maximum match 12 "2.0mm three-teeth blade

Φ2.4mm Spiral nylon rope
Threaded nylon rope for quite and low-vibration work



Specification

Product Name	CORDLESS GRASS TRIMMER WITH TRIMMER HEAD	CORDLESS GRASS TRIMMERWITH BRUSH CUTTER HEAD
Motor Type	BLDC	BLDC
Cutting Width	40 cm	25 cm
Power	1.7 kW	1.7 kW
Total Length	187 cm	187 cm
Max. No-Loading Run Time	Up to 35 mins (4 Ah) Up to 45 mins (5 Ah)	Up to 70 mins (4 Ah) Up to 85 mins (5 Ah)
Vibration (M/S ²)	2.3/2.5	1.9/2.3
Blade Material	/	Three-sided steel blade
Line Feed	Manual wind bump feed head	/
Dual Line	Yes	/
Rotating Direction	Anti clockwise	/
Line Diameter Supplied	2.4-3.0mm	
Speed Control	Constant speed	
Load Speed	7000 rpm(Hight Speed) / 5500 rpm(Low Speed)	
Soft-Start	Yes	
Harnss	Hip pad	
Noise Rating LpA /LwA	83 dB(A) / 96 dB(A)	
Weight (without battery)	4.7 kgs / 10.3 lbs	

ZMDB522

58V Cordless Leaf Blower



The Zomax 58V cordless leaf blower has the power you need to clear your yard and handle with the toughest jobs. It is lightweight, quite but powerful, suitable to use in urban or noise-sensitive areas. Its brushless motor and jet fan design provides power equivalent to many petrol models, as well as reduced vibrations and prolonged motor life. Its turbo button can conveniently offer supreme wind volume. Keep your lawn and yard clear with Zomax cordless blowers.



Motor type	BLDC
Standard Battery	4.0 Ah
Weight(tool only)	1.98 kg



Specification

		
Product Name	CORDLESS LEAF BLOWER - 2.0Ah (ZMDB521)	CORDLESS LEAF BLOWER-4.0Ah (ZMDB522)
Motor Type	BLDC(Brushless motor)	BLDC(Brushless motor)
Voltage	58V Max.	58V Max.
Power	0.78 kW	1.3 kW
Running Time	60 min.(low speed) / 30 min.(medium speed) 17 min.(high speed) / 12 min. (turbo speed)	120 min.(low speed), 20 min.(high speed) 12 min.(tubo speed)
MAX. Air Volume	Turbo 480 CFM	Turbo 610 CFM
Max. Air Speed	/	145MPH / 65m/s
Equivalent Vibration Level	2.05 m/s ²	2.05 m/s ²
Sound Power Level	101 dB (A)	110 dB(A)
Weight(tool only)	3.7 kgs / 8.2 lbs	1.98 kgs / 4.36 lbs

AUTOMATIC POP-UP DESIGN
For Battery Pack, Conventent To Replace Battery Pack



SOFT GRIP
Absorb Vibration and Reduce Fatigue



POWER BUTTON & LED INDICATOR
Easy and Reliable TO Start; Observe Working Status In Time



TURBO BUTTON DELIVERS 610 CFM
For A 22% Boost In Air Volume



ZMDH5316

58V Cordless Hedge Trimmer


The Zomax cordless hedge trimmer ZMDH531 is featured by 58-volt performance and super light weight. With unique design to separate battery and tool, its weight at hand is only 6.6 lbs (3.0kg). Its 25inch laser-cut dual blade contributes to clean cuts through hedges or thick shrubbery . On a single battery charge, it can support 40 minutes run time. ZMDH531 is a wonderful tool for trimming job you can't miss out.



Motor type	PMDC
Standard Battery	2.0 Ah
Weight(tool only)	3.0 kg




5 rotating angle of rear handle
-90° , -45° , 0° , 45° , 90° is ideal for horizontal and vertical operation.



Power button and LED light
Ensure easy, reliable operation





25" Laser-cut dual blades
with 3/4in. (UL)/ 24mm(CE) cutting thickness for blade teeth, and 52cm cutting swath



Optional battery backpack
Luxury battery backpack with two battery cabins is for your option.



Specification

	 CORDLESS HEDGE TRIMMER - 2Ah (ZMDH5315)	 CORDLESS HEDGE TRIMMER - 2Ah (ZMDH5316)
Product Name	CORDLESS HEDGE TRIMMER - 2Ah (ZMDH5315)	CORDLESS HEDGE TRIMMER - 2Ah (ZMDH5316)
Motor Type	PMDC(2-brush)	PMDC(2-brush)
Voltage	58V Max.	58V Max.
Power	0.55 kW	0.55 kW
No-loading Run Time	Max. 55 min.	Max. 55 min.
Stroke Rate 1/min.	3000 rpm	3000 rpm
Blade	Dual, Laser-cut	Dual, Laser-cut
Blade Length	20"/50 cm	24"/61 cm
Equivalent Vibration Level	1.6 / 2.8 m/s ²	1.6 / 2.8 m/s ²
Sound Power Level	90 db(A)	90 db(A)
Weight(tool only)	4.0 kgs / 7.1 lbs	3.0 kgs / 6.6 lbs

ZMDP551

58V Cordless Pole Saw

The Zomax cordless pole saw is a powerful tool for property maintenance, orchards and tree care operation. Both agile and easy to handle, it is the perfect tool for those tougher pruning tasks. Its 2.8m length pole can help reach up to 4.0m height. Its vibrations and noise are kept to minimum level, ideal for jobs in urban and noise sensitive areas.



Motor type	PMDC
Standard Battery	2.0 Ah
Weight(tool only)	5.4 kgs



Specification	
Product Name	CORDLESS POLE SAW - 2Ah
Motor Type	PMDC(2-brush)
Voltage	58V Max.
Power	0.75 kW
No-loading Run Time	Max. 50 min.
Cuts per Battery Charge	80(10cm x 10cm.)
Chain Linear Velocity	5 m/s
Pole Length	9'/2.8m
Approximate Reach	13'-15'/4m
Recommended Bar Length	20-25 cm/8"-10"
Chain Pitch	3/8", .043" gauge(Oregon)
Oil Tank Volume	80 ml
Equivalent Vibration Level	2.6 / 1.9 m/s²
Sound Power Level	90 db(A)
Weight(tool only)	5.4 kgs / 12.0 lbs
Dry Weight (with 2.0Ah battery)	6.5 kgs / 14.3 lbs


ZMDP552

58V Cordless Pole Hedge Trimmer

The Zomax ZMDP552 pole hedge trimmer delivers 58 volts of trimming power and sufficient run time on a single battery charge. Its 20inch laser-cut dual blade makes your trimming job easy and efficient. Its 1.8m pole length can help extend to 3m height reach for trimming tall and wide hedges. Thanks for its ergonomic design and low vibration, ZMDP552 pole trimmer is a comfortable tool for home-use work.



Motor type	PMDC
Standard Battery	2.0 Ah
Weight(tool only)	5.5 kgs



Specification

Product Name	CORDLESS POLE HEDGE TRIMMER - 2Ah
Motor Type	PMDC(2-brush)
Voltage	58V Max.
Power	0.45 kW
No-loading Run Time	Max. 55min.
Stroke Rate 1/min.	3000 rpm
Blade	Laser-cut dual blades
Blade Length	20"/52cm
Adjustment Angle	-30° ,0° ,30° ,60° ,90°
Pole Length	6' / 1.8 m
Approximate Reach	8'-10' / 3 m
Equivalent Vibration Level	3.0 / 3.2 m/s²
Sound Power Level	96 db(A)
Weight(tool only)	5.5 kgs / 12.1 lbs
Dry Weight (with 2.0Ah battery)	6.7 kgs / 14.8 lbs



ZMDM541 SERIES

58V 21" Cordless Lawn Mower

The Zomax cordless lawn mower ZMDM541 is powered by two 58-volt lithium-ion batteries and high-efficiency brushless motor to tackle with even most demanding mowing tasks. The brushless motor provides uncompromised power and long-lasting performance with reduced noise. This 21-inch lawn mower can easily start and mow by only pushing buttons with less disturbance and noise. With this powerful lawn mower, you can keep good care of your grassland as well as the environment.



Motor type	BLDC
Standard Battery	4.0 Ah X 2 / 4.0 Ah X 1
Weight(tool only)	About 25 kgs / 22 kgs



Power button & LED indicator

Forget about a pull start. Take control of working status and battery power in time.



Collapsible handle

for easy storage



7-position cutting height

Suitable for different working conditions.



4 IN 1 Cutting system

with grass combing function



Specification				
Product Name	21" CORDLESS LAWN MOWER - 4Ah X 2PCS (ZMDM541M)	21" CORDLESS LAWN MOWER - 4Ah X 2PCS (ZMDM541T)	21" CORDLESS LAWN MOWER - 4Ah X 1PCS (ZMDM541A)	21" CORDLESS LAWN MOWER - 4Ah X 1PCS (ZMDM541)
Motor Type	BLDC(Brushless motor)	BLDC(Brushless motor)	BLDC(Brushless motor)	BLDC(Brushless motor)
Voltage	58V Max.	58V Max.	58V Max.	58V Max.
Power	1.7 kW	1.7 kW	1.7 kW	1.7 kW
Cutting Capacity	21"	21"	21"	21"
Cutting Deck Type	Steel deck	Steel deck	Steel deck	Steel deck
No-loading Run Time (with Self-propelled)	Up to 90 min.	Up to 100 min.	Up to 45 min.	Up to 50 min.
Self-propelled Type	Motor control	/	Motor control	/
Self-propelled Speed	0.8-1.4m/s (4 settings)	/	0.8-1.4m/s (4 settings)	/
Cutting Speed Control	Automatic variable speed	Automatic variable speed	Automatic variable speed	Automatic variable speed
No-loading Speed	2900rpm	2900rpm	2900rpm	2900rpm
Cutting Deck Style	Steel	Steel	Steel	Steel
Grass Catcher	60 L	60 L	60 L	60 L
Cut-height Setting	28 mm-90 mm (1"-3.5")	28 mm-90 mm (1"-3.5")	28 mm-90 mm (1"-3.5")	28 mm-90 mm (1"-3.5")
Collapsible Handle	Handle folded down easily for vertical storage			
Handle Control Led Indicator	Battery power level indicator, Self-propelled speed indicator, Product Control Indicator	Battery power level indicator, Self-propelled speed indicator, Product Control Indicator	Battery power level indicator, Self-propelled speed indicator, Product Control Indicator	Battery power level indicator, Self-propelled speed indicator, Product Control Indicator
Handle Heights	Two - user adjustable	Two - user adjustable	Two - user adjustable	Two - user adjustable
Wheel Diameter (Front / Rear)	8" / 10"	8" / 10"	8" / 10"	8" / 10"
Water Resistance Rating	IPX4	IPX4	IPX4	IPX4
Equivalent Vibration	1.95 m/s²	1.95 m/s²	1.95 m/s²	1.95 m/s²
Sound Power Level	92 dB(A)	92 dB(A)	92 dB(A)	92 dB(A)
Weight(tool only)	About 25 kgs / 55 LBS	About 22 kgs / 48.5 LBS	About 25 kgs / 55 LBS	About 22 kgs / 48.5 LBS

ZMDC201

20V Cordless Chainsaw

ZOMAX newly developed 20V cordless tools, Compact and exquisite design, while meeting with the ergonomic features. 0.98kg light weight, Toolless adjustment, Rubber grip handle for a good operation feeling. 20V peak power configuration, 9m/s high speed chain, 600W running power, 7000rpm max. speed to guarantee smoothly working, let you enjoy the extraordinary.

CE

Motor type	BLDC
Standard Battery	4.0 Ah
Weight(tool only)	0.98 kg



Toolless adjustable

Safety baffle
Safety baffle to prevent splashing

Brushless Motor
400W Super power

Real-time display of power

Forced air cooling
long use time

Safe self-locking to prevent false triggering

Ergonomic designed Handle
fits palm, non-slip

Safety guard

4Ah battery pac
large battery capacity

Specification

Certificate	CE
Product Name	20V CORDLESS CHAINSAW -4AH
Motor Type	BLDC(Brushless Motor)
Voltage	20V Max
Power	400W
No-loading Run Time	60mins
Log Cutting Pieces	55pcs (Φ10 cm) 180pcs (Φ3 cm)
Chain Linear Velocity	7m/s
Max. Speed	7000rpm
Weight (without battery)	0.98 kg

